

Cer. Perminen De M. Surr. Har a State M. 20 a. log 14 a wide, owny and tota guite sorly, interiste, 15 felige stigmata








Cenus tetragours 4 winged, glaceors, when young 1870 areola 2 rent apart scarrely a little prominent, spiles skort numerous, stellet av olan Cerus vigidus , mexis 5 kgh jointel 4 met d'a, arable close spir sleven anden, skot white. Con Principal averted not promise the street or less anyles streight Cercus strictus & C. Brazil, very Dark green, 13-3/2 14. 8-9 angled, angle, slybly undulete, arole sligtly promited don 2 out apol Neite spiner numerous, stillete. MISSOURI BOTANICAL copyright reserved

GARDEN


cm


MISSOURI BOTAMICAL GARDEN GEORGE ENGELMANN PAPERS




Mus Ken Sept-1869 Cereus tortuosus (Mus Kar in Mohol)
on hort Kews, Ovary with 30 or 40 tuberles bearing small scales and 2-4 or 5 short rather stout dark spine Tube bearing many sepals, but Mo spines. Special - allockel











HG Ken Soph 1869 Cerus Martianus ex Host Woburn numeros short satures brown spring - Arif a volve outs 1 red apart. Hower \$-10 a long, supper sepels entites lover - sobulete deputs of tabe as well as over smill brown long wood in bushles - ac



Cerus Sprehranus a Cylondroll plate allid with colubrium used for grafling - et & Poselger has æirial soots from the vidzes between the areolae from the furnow, believes the night either right it mille of a Cittle to the vide, never the night But My

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN



2-1069 Cerci Hollemaner, Hul Berolini 1856 Echiroraetus formony is not policy a Ceren of policy the section Pelinopsis -2/2-3 feet high sout 10 inder dants gibt 28 - obterse, with sharp I warrow groover, Fuller arcolae oval, 1 apart, 1 prh, 5-8-15-20 opparently inrreasing with age, evirle uneque and irregular, not at all like those of an like Cereus principoses & ribs Deven Grand of the lower of the land of 4-6-spenies /2-11hah long. glacerous estilish only on your should stable part - lower steen single. Cereus nigen Salus somablikleg duch green. 6 angulan, antolne blosely approximat, 3/4 that or len apart - young our closen. 5- sibt. dangerest sepante P. Russelann to pomposed spiker that ensmatir tubeng a Mai. even - old age remaining it will form MISSOURI BOTANICAL copyright reserved cm

GARDEN

the Bestin In 1869 seems to be pings as not to belong from Comment of the second s and they have been seen to the transfer that Went with the second second second second connect one of absence when the server so side 28 - where every - grander growing sols 2 /2 - 3 /600 /- 1/4 Rent 10 1-1-1-1-1 MISSOURI BOTANICAL copyright reserved cm GARDEN



0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


Output


Missouri

Botanical

Garden

MISSOURI BOTANICAL GARDEN and the second second second second MISSOURI BOTANICAL copyright reserved GARDEN





At Reg. Soroli Jun. 1869 Comme Sellow, 3129 Shrili. for for 5 to 9 inches lang (in) corona stamin - 1/2 - 3/4 12 h apal for others 9-10 filifor vLijant spins of plat (when'y the of som flowers - no oth pert of plant left) 3-4, notes itet, black, 1/4-1/4 wells log That remarke - and of the spiason love seps (long word - exils) upper sepels with spines soldets forts . - therefore Echinopsis? Com No 918 On the ong incomplete helf of - flower quelikant on Come put of hole. Nertani cavity very sistiant a closed above by the A Pilocerus 3 Dilater Gene of stammer.

copyright reserved

cm

BOTANICAL

GARDEN

